



INTERFACE-TERMINAL

Contenitori multifunzionali per componenti elettronici

L'innovativo INTERFACE-TERMINAL presenta tutte le caratteristiche di una moderna interfaccia uomo-macchina Design elegante.

- L'utilizzatore può scegliere se usare l'apparecchio in modo mobile e/o fisso
- Molto spazio per elementi di comando, display grafici/touch screen (S: 6,4"/16 cm, M: 8,4"/21 cm, L: 10,4"/26 cm)
- A scelta con parte inferiore del contenitore sottile o rialzata per una configurazione di montaggio personalizzata, interfacce, ingressi/uscite dei cavi ecc.
- Coperture frontali opzionali: parte superiore ABS e placca frontale, placca frontale in alluminio, pannello in vetro per touch screen
su richiesta possibilità di integrazione per tablet
- Grado di protezione IP 54: con guarnizioni (accessori)
- Punti di fissaggio per schede e componenti di montaggio
- Disponibili come gruppi costruttivi per combinazioni individuali:
- **Mobili (1)**
- Disponibile con/senza vano batteria (5 batterie AA) accessibile dall'esterno, incl. dispositivo di protezione da torsione e di inversione dei poli; forma maneggevole dalla linea piacevolmente sottile nella parte dell'impugnatura; avvallamento per le dita sul lato inferiore per una presa sicura
- **Contenitori con stazione di ricarica o supporto da parete piatto (2)**
- Il contenitore si inserisce a scatto per la realizzazione del contatto/la custodia nella base o nel supporto da parete piatto; contatti per una facile trasmissione di dati e di corrente di carica come accessori; custodia dei contenitori nel senso della lunghezza o della larghezza a seconda delle esigenze; la base offre inoltre uno spazio sufficiente per i componenti elettronici
- **Contenitori per applicazioni desk con fissaggio a vite (3)**
- Superficie di comando inclinata di 20° in modo ergonomico; montaggio nel senso della lunghezza o della larghezza; fissaggio a vite non visibile; la base offre molto spazio per connettori, componenti elettronici e cablaggio; posizione sicura degli apparecchi per applicazioni da scrivania grazie ai piedini in gomma
- **Contenitori per applicazioni desk/a parete con arresto a scatto, chiusura tramite dispositivo di bloccaggio a rotazione (4)**
- Eccezionale interfaccia tra componente mobile e fisso; grazie a interfacce predefinite e con arresto a scatto nel contenitore e nella base, il montaggio viene sensibilmente facilitato; la base offre molto spazio per connettori, componenti elettronici, cablaggio ed è facilmente accessibile; montaggio a muro diretto della base; montaggio dell'unità mobile nel senso della lunghezza e della larghezza
- **Contenitori da incasso (5)**
- In caso di esigenze architettoniche particolari o all'interno di edifici storici, i contenitori possono anche essere integrati nella parete o nella placca frontale in maniera armonica; un'ulteriore possibilità è rappresentata dal montaggio in macchine e in impianti; installazione facile grazie al set di montaggio

INTERFACE-TERMINAL



Esempi di applicazione

Straordinaria molteplicità d'impiego: mobile – desk – a muro – da incasso. Periferiche e dispositivi interfaccia, ufficio, tecnica di comunicazione, tecnica di sicurezza, biometria, tecnica medica e di laboratorio, wellness, health care, IoT/IIoT, automazione, metrologia/regolazione/comando, ecc.



Device for bioelectrical patient analysis



Process control for plant Management



Self-monitoring emergency call system



Smart Home Console system



Terminal for personnel time recording



Wireless data logger

INTERFACE-TERMINAL

Modifiche specifiche del cliente

Che caratteristiche deve avere il vostro prodotto personalizzato? Su richiesta vi forniamo i contenitori e manopole pronti per il montaggio e con tutte le modifiche e le caratteristiche specifiche.

Opzioni prodotto per Interface-Terminal



Lavorazione
meccanica



Verniciatura



Stampa



Marcatura laser



Pellicole decorative



Materiale speciale



Protezione CEM




Confezionamento /
montaggio


Versioni




B4042407
Cover S
ABS (UL 94 HB)
off-white RAL 9002
190x135x14mm



B4042707
Bottom part S flat, version I
ABS (UL 94 HB)
off-white RAL 9002
190x135x24,5mm
IP 54 opt.



B4042717
Bottom part S flat, version II
ABS (UL 94 HB)
off-white RAL 9002
190x135x24,5mm
IP 54 opt.



B4042757
Bottom part S high, version I
ABS (UL 94 HB)
off-white RAL 9002
190x135x34,5mm
IP 54 opt.




B4042767
Bottom part S high, version II
ABS (UL 94 HB)
off-white RAL 9002
190x135x34,5mm
IP 54 opt.



B4042827
Base S - desk-top -
ABS (UL 94 HB)
off-white RAL 9002
123x123x53mm



B4042837
Base S - charging station, case
deposit mobile
ABS (UL 94 HB)
off-white RAL 9002
123x123x60mm



B4042847
Base S - desk-top/wall -
ABS (UL 94 HB)
off-white RAL 9002
123x123x53mm

INTERFACE-TERMINAL



B4044407
 Cover M
 ABS (UL 94 HB)
 off-white RAL 9002
 225x165x14mm



B4044707
 Bottom part M flat, version I
 ABS (UL 94 HB)
 off-white RAL 9002
 225x165x25,5mm
 IP 54 opt.



B4044717
 Bottom part M flat, version II
 ABS (UL 94 HB)
 off-white RAL 9002
 225x165x25,5mm
 IP 54 opt.



B4044757
 Bottom part M high, version I
 ABS (UL 94 HB)
 off-white RAL 9002
 225x165x35,5mm
 IP 54 opt.



B4044767
 Bottom part M high, version II
 ABS (UL 94 HB)
 off-white RAL 9002
 225x165x35,5mm
 IP 54 opt.



B4044827
 Base M - desk-top -
 ABS (UL 94 HB)
 off-white RAL 9002
 153x153x63mm



B4044837
 Base M - charging station, case
 deposit mobile
 ABS (UL 94 HB)
 off-white RAL 9002
 153x153x70mm



B4044847
 Base M - desk-top/wall -
 ABS (UL 94 HB)
 off-white RAL 9002
 153x153x63mm




B4046407
 Cover L
 ABS (UL 94 HB)
 off-white RAL 9002
 275x195x25,5mm



B4046707
 Bottom part L flat, version I
 ABS (UL 94 HB)
 off-white RAL 9002
 275x195x26,5mm
 IP 54 opt.



B4046717
 Bottom part L flat, version II
 ABS (UL 94 HB)
 off-white RAL 9002
 275x195x26,5mm
 IP 54 opt.



B4046757
 Bottom part L high, version I
 ABS (UL 94 HB)
 off-white RAL 9002
 275x195x36,5mm
 IP 54 opt.



B4046767
 Bottom part L high, version II
 ABS (UL 94 HB)
 off-white RAL 9002
 275x195x36,5mm
 IP 54 opt.



B4046827
 Base L - desk-top -
 ABS (UL 94 HB)
 off-white RAL 9002
 183x183x73mm



B4046837
 Base L - charging station, case
 deposit mobile
 ABS (UL 94 HB)
 off-white RAL 9002
 183x183x80mm



B4046847
 Base L - desk-top/wall -
 ABS (UL 94 HB)
 off-white RAL 9002
 183x183x73mm

INTERFACE-TERMINAL



B4142047
Battery compartment and lid S, 5 x AA
ABS (UL 94 HB)
off-white RAL 9002




B4142106
Front panel S
Aluminium
matt anodised
186,5x131,5x2mm



B4142107
Front panel S
ABS (UL 94 HB)
off-white RAL 9002
190,6x135,6x14,5mm



B4142167
Bottom panel with handle recess S
ABS (UL 94 HB)
off-white RAL 9002



B4142203
Glass panel S
Glass
clear
190,6x135,6x16,7mm



B4142247
Wall suspension element S
ABS (UL 94 HB)
off-white RAL 9002



B4142257
Bottom panel with snap-in strips S
ABS (UL 94 HB)
off-white RAL 9002



B4142587
Installation assembly kit S, flat
ABS (UL 94 HB)
off-white RAL 9002
234x185mm



B4142597
Installation assembly kit S, high
ABS (UL 94 HB)
off-white RAL 9002
234x185mm



B4144047
Battery compartment and lid M, 5 x AA
ABS (UL 94 HB)
off-white RAL 9002




B4144106
Front panel M
Aluminium
matt anodised
221,5x161,5x2mm



B4144107
Front panel M
ABS (UL 94 HB)
off-white RAL 9002
225,6x165,6x15,5mm



B4144167
Bottom panel with handle recess M
ABS (UL 94 HB)
off-white RAL 9002



B4144203
Glass panel M
Glass
clear
225,6x165,6x17,7mm



B4144247
Wall suspension element M
ABS (UL 94 HB)
off-white RAL 9002



B4144257
Bottom panel with snap-in strips M
ABS (UL 94 HB)
off-white RAL 9002

INTERFACE-TERMINAL



B4144587
 Installation assembly kit M, flat
 ABS (UL 94 HB)
 off-white RAL 9002
 272x218mm



B4144597
 Installation assembly kit M, high
 ABS (UL 94 HB)
 off-white RAL 9002
 272x218mm



B4146047
 Battery compartment and lid L, 5
 x AA
 ABS (UL 94 HB)
 off-white RAL 9002



B4146106
 Front panel L
 Aluminium
 matt anodised
 271,5x191,5x2mm



B4146107
 Front panel L
 ABS (UL 94 HB)
 off-white RAL 9002
 275,6x195,6x15,5mm



B4146167
 Bottom panel with handle recess
 L
 ABS (UL 94 HB)
 off-white RAL 9002



B4146203
 Glass panel L
 Glass
 clear
 275,6x195,6x17,7mm



B4146247
 Wall suspension element L
 ABS (UL 94 HB)
 off-white RAL 9002



B4146257
 Bottom panel with snap-in strips
 L
 ABS (UL 94 HB)
 off-white RAL 9002



B4146587
 Installation assembly kit L, flat
 ABS (UL 94 HB)
 off-white RAL 9002
 325x251mm



B4146597
 Installation assembly kit L, high
 ABS (UL 94 HB)
 off-white RAL 9002
 325x251mm

INTERFACE-TERMINAL

System components to complete



B4042407
Cover S
ABS (UL 94 HB)
off-white RAL 9002
190x135x14mm



B4042827
Base S - desk-top -
ABS (UL 94 HB)
off-white RAL 9002
123x123x53mm



B4042837
Base S - charging station, case
deposit mobile
ABS (UL 94 HB)
off-white RAL 9002
123x123x60mm



B4042847
Base S - desk-top/wall -
ABS (UL 94 HB)
off-white RAL 9002
123x123x53mm



B4044407
Cover M
ABS (UL 94 HB)
off-white RAL 9002
225x165x14mm



B4044827
Base M - desk-top -
ABS (UL 94 HB)
off-white RAL 9002
153x153x63mm



B4044837
Base M - charging station, case
deposit mobile
ABS (UL 94 HB)
off-white RAL 9002
153x153x70mm



B4044847
Base M - desk-top/wall -
ABS (UL 94 HB)
off-white RAL 9002
153x153x63mm



B4046407
Cover L
ABS (UL 94 HB)
off-white RAL 9002
275x195x25,5mm



B4046827
Base L - desk-top -
ABS (UL 94 HB)
off-white RAL 9002
183x183x73mm



B4046837
Base L - charging station, case
deposit mobile
ABS (UL 94 HB)
off-white RAL 9002
183x183x80mm



B4046847
Base L - desk-top/wall -
ABS (UL 94 HB)
off-white RAL 9002
183x183x73mm



B4142047
Battery compartment and lid S, 5
x AA
ABS (UL 94 HB)
off-white RAL 9002



B4142106
Front panel S
Aluminium
matt anodised
186,5x131,5x2mm



B4142107
Front panel S
ABS (UL 94 HB)
off-white RAL 9002
190,6x135,6x14,5mm



B4142167
Bottom panel with handle recess
S
ABS (UL 94 HB)
off-white RAL 9002

INTERFACE-TERMINAL



B4142203
Glass panel S
Glass
clear
190,6x135,6x16,7mm



B4142247
Wall suspension element S
ABS (UL 94 HB)
off-white RAL 9002



B4142257
Bottom panel with snap-in strips
S
ABS (UL 94 HB)
off-white RAL 9002



B4142587
Installation assembly kit S, flat
ABS (UL 94 HB)
off-white RAL 9002
234x185mm



B4142597
Installation assembly kit S, high
ABS (UL 94 HB)
off-white RAL 9002
234x185mm



B4144047
Battery compartment and lid M,
5 x AA
ABS (UL 94 HB)
off-white RAL 9002



B4144106
Front panel M
Aluminium
matt anodised
221,5x161,5x2mm



B4144107
Front panel M
ABS (UL 94 HB)
off-white RAL 9002
225,6x165,6x15,5mm



B4144167
Bottom panel with handle recess
M
ABS (UL 94 HB)
off-white RAL 9002



B4144203
Glass panel M
Glass
clear
225,6x165,6x17,7mm



B4144247
Wall suspension element M
ABS (UL 94 HB)
off-white RAL 9002



B4144257
Bottom panel with snap-in strips
M
ABS (UL 94 HB)
off-white RAL 9002



B4144587
Installation assembly kit M, flat
ABS (UL 94 HB)
off-white RAL 9002
272x218mm



B4144597
Installation assembly kit M, high
ABS (UL 94 HB)
off-white RAL 9002
272x218mm



B4146047
Battery compartment and lid L, 5
x AA
ABS (UL 94 HB)
off-white RAL 9002



B4146106
Front panel L
Aluminium
matt anodised
271,5x191,5x2mm


INTERFACE-TERMINAL



B4146107
Front panel L
ABS (UL 94 HB)
off-white RAL 9002
275,6x195,6x15,5mm



B4146167
Bottom panel with handle recess
L
ABS (UL 94 HB)
off-white RAL 9002



B4146203
Glass panel L
Glass
clear
275,6x195,6x17,7mm



B4146247
Wall suspension element L
ABS (UL 94 HB)
off-white RAL 9002



B4146257
Bottom panel with snap-in strips
L
ABS (UL 94 HB)
off-white RAL 9002



B4146587
Installation assembly kit L, flat
ABS (UL 94 HB)
off-white RAL 9002
325x251mm



B4146597
Installation assembly kit L, high
ABS (UL 94 HB)
off-white RAL 9002
325x251mm


Accessory "protection"




B4142005
Sealing S (bottom part - front
design)
TPE



B4142006
Sealing S (bottom part -
base/bot. panel/bat. comp...)
TPE




B4144005
Sealing M (bottom part - front
design)
TPE



B4144006
Sealing M (bottom part -
base/bot. panel/bat. comp...)
TPE



B4146005
Sealing L (bottom part - front
design)
TPE




B4146006
Sealing L (bottom part -
base/bot. panel/bat. comp...)
TPE

INTERFACE-TERMINAL

Accessory



A9178007
Contacts, male
gold-plated



A9178008
Contacts, female
gold-plated

Salvo modifiche tecniche. © OKW Gehäusesysteme, Buchen/Germania.