

CARRYTEC

Caixas Plásticas com Alça Integrada

CARRYTEC é o único modelo que oferece alça funcional para muitas tarefas e situações diferentes, para ambientes fechados e ao ar livre.

- alça integrada com suave inserção para perfeita aderência, antiderrapante
- caixa CARRYTEC M em versão fina para montagem de tablets etc.
- alça localizada acima do centro de gravidade para transporte equilibrado
- traseira pode ser instalada em tripé ou suporte para sistemas de braço para posicionamento rápido e alinhamento dos painéis de visualização, operação e organização de cabos
- ampla área de superfície ideal para interfaces do usuário (S: 8,4"/21 cm; M: 10,4"/26 cm; L: 13,4"/34 cm)
- ampla profundidade para instalação e espaço sobressalente para interfaces, mesmo que seja o modelo slim
- interfaces protegidas por áreas de inserção na parte inferior
- armazenamento seguro para suporte de mesa e/ou elemento para fixação em parede; fácil transmissão de dados e corrente para carga, contatos como acessórios (exceto versão slim)
- braçadeira de fixação para tubos redondos e trilhos DIN de acordo com EN ISO 19054
- modelos disponíveis em material plástico resistente a impacto e em cores mais escuras para condições adversas de sujeira para áreas internas e externas
- classe de proteção IP 54 com vedação (acessório)
- área de operação com recesso para proteção do teclado de membrana
- as caixas são fáceis de limpar
- um compartimento de bateria para pilhas 5 x AA (usinagem obrigatória)
- bolsas protetoras opcionais para o transporte de sondas, sensores, cabos etc. (tamanhos S e M)
- pilares internos de fixação de PCBs



CARRYTEC

Exemplos de aplicação

Única variedade de possíveis usos: móvel – mesa de trabalho – montagem em parede – montagem em trilho - tubo redondo - tripé - braço de suspensão. Dependendo da aplicação (interna/externa), esta inovadora caixa está disponível em diferentes materiais, como por exemplo, material plástico de alto impacto em cores mais escuras para condições difíceis.



Air velocity meter



Battery filler for aviation batteries



Camera inspection



CNC Machine Monitoring



Diagnostic camera for illustrating the machine status



Hand held HD-camera and monitor system



Indoor Farming Monitoring



Mobile radio remote control unit for orbital welding system



Mobile testing device for cost-effective fault analysis



Monitoring system for cleaning nozzles



Multi-functional measuring instrument



Patient Simulation System



Portable receiver

Modificações específicas do cliente

O que você ainda precisa em seu próprio produto pessoal? Nós podemos fornecer caixas e knobs de ajuste com todas as modificações necessárias para a montagem de seus componentes eletrônicos. Opções para customizadas Carrytec

CARRYTEC



Usinagem



Pintura



Impressão



Letragem a laser



Películas decorativas



Blindagem EMC



Instalação / Montagem
de acessórios

Versões



B4208107
CARRYTEC S
ABS (UL 94 HB)
off-white RAL 9002
222x205x80mm
IP 54 opt.



B4208208
CARRYTEC S
ASA+PC (UL 94 V-0)
lava
222x205x80mm
IP 54 opt.



B4210107
CARRYTEC M
ABS (UL 94 HB)
off-white RAL 9002
270x247x91mm
IP 54 opt.



B4210127
CARRYTEC M slim version
ABS (UL 94 HB)
off-white RAL 9002
270x247x42mm
IP 54 opt.



B4210208
CARRYTEC M
ASA+PC (UL 94 V-0)
lava
270x247x91mm
IP 54 opt.



B4210228
CARRYTEC M slim version
ASA+PC (UL 94 V-0)
lava
270x247x42mm
IP 54 opt.



B4213107
CARRYTEC L
ABS (UL 94 HB)
off-white RAL 9002
348x303x117mm
IP 54 opt.



B4213208
CARRYTEC L
ASA+PC (UL 94 V-0)
lava
348x303x117mm
IP 54 opt.

CARRYTEC



B4308117
Station S/M
ABS (UL 94 HB)
off-white RAL 9002



B4308218
Station S/M
ASA+PC (UL 94 V-0)
lava



B4308600
Carrying case S, right-hand side
grey
82x180x65mm



B4308610
Carrying case S, left-hand side
grey
82x180x65mm



B4310600
Carrying case M, right-hand side
grey
99x214x64mm



B4310610
Carrying case M, left-hand side
grey
99x214x64mm



B4313117
Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313218
Station L
ASA+PC (UL 94 V-0)
lava

Accessory "battery"



A9338117
Battery compartment kit, 5 x AA
ABS (UL 94 HB)
off-white RAL 9002
93x98mm
IP 54



A9338218
Battery compartment kit, 5 x AA
ASA+PC (UL 94 V-0)
lava
93x98mm
IP 54

CARRYTEC

Accessory "station"



A9178007
Contacts, male
gold-plated



A9193044
Contacting kit, 6-pin
ABS (UL 94 HB)
black RAL 9005



B4308117
Station S/M
ABS (UL 94 HB)
off-white RAL 9002



B4308127
Base plate for station
ABS (UL 94 HB)
off-white RAL 9002



B4308218
Station S/M
ASA+PC (UL 94 V-0)
lava



B4308228
Base plate for station
ASA+PC (UL 94 V-0)
lava



B4313117
Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313147
Adapter for Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313218
Station L
ASA+PC (UL 94 V-0)
lava



B4313248
Adapter for Station L
ASA+PC (UL 94 V-0)
lava

Accessory "protection"



B4308001
Sealing S




B4310001
Sealing M




B4313001
Sealing L

CARRYTEC

Accessory "wall/holder"



B4308237
Holding clamps
PA 6
off-white RAL 9002



B4308238
Holding clamps
PA 6
lava

Accessory "carrying"



B4308600
Carrying case S, right-hand side
grey
82x180x65mm



B4308610
Carrying case S, left-hand side
grey
82x180x65mm



B4308650
Shoulder strap
grey
1400mm



B4310600
Carrying case M, right-hand side
grey
99x214x64mm



B4310610
Carrying case M, left-hand side
grey
99x214x64mm

Accessory "screws"




A0325080
Self-tapping screws 2.5 x 8 mm
(PZ1)

CARRYTEC

Accessory




A9178007
Contacts, male
gold-plated



A9178008
Contacts, female
gold-plated



A9193042
Mounting plates for contacts
ABS (UL 94 HB)
black RAL 9005



A9193044
Contacting kit, 6-pin
ABS (UL 94 HB)
black RAL 9005

Sujeito à modificações técnicas sem aviso prévio. © de OKW Gehäusesysteme, Buchen/Alemanha.